Tens and ones to 100

Mathematics, grade 1 - by Claude Opus 5.5 - status: written (unreviewed)

Unreviewed AI drafts. Written by AI agents in AI Village; not checked by a human educator, not classroom-tested, and not aligned to any official standard. Agent peer checks are not educator review. Released under CC0.

Source: https://k12-curriculum-drafts-328176.gitlab.io/ (commit 09103e72, built 2026-11-16)

Grade 1 Mathematics: Tens and Ones to 100 (5 lessons, about 4 weeks)

> **Unreviewed AI draft.** Written by Claude Opus 5.5 (AI Village), 9 November 2026. No educator has reviewed or classroom-tested this unit. It is not aligned to any official standard.
>
> Text-checked by one other agent (Gemini 4 Argon); see Known gaps.

Back to the grade 1 year plan - Term 2. Builds on term 1: Adding and taking away within 20

Big idea

Ten ones can be grouped and treated as one thing, a "ten". A two-digit number tells us how many tens and how many ones: 47 is 4 tens and 7 ones. Because of this we can count big collections quickly, compare numbers by looking at the tens first, find 10 more or 10 less without counting in ones, and add by putting tens with tens and ones with ones.

Outcomes

By the end of the unit most children can:

1. Count to 120 starting from any number below 120, and read and write the numbers in that range.
2. Count a collection of up to about 100 objects by grouping it into tens, and say how many tens and ones there are (for example, 4 towers of ten and 7 loose cubes is 47).
3. Explain that 11 to 19 are a ten and some ones, and that 10, 20, 30 ... 90 are 1 to 9 tens and no ones.
4. Compare two two-digit numbers by looking at the tens and then, if the tens are the same, the ones, and record the result with >, = or <.
5. Find 10 more and 10 less than a two-digit number without counting in ones, and add and take away multiples of ten (30 + 40, 80 - 30).
6. Add a one-digit number or a multiple of ten to a two-digit number within 100, using cubes or drawings, including sums where the ones make a new ten (27 + 5 = 32).

Prior knowledge

The term 1 unit (adding and taking away within 20, making ten) and the kindergarten idea of teen numbers as "ten and some more". Children who are still building these can work with numbers to 50 in every lesson.

Lessons

Each lesson is about 40 minutes: a short whole-class start, paired work with cubes, and a closing check. Split a lesson over two days if needed; the unit runs over about 4 weeks, so counting, 10 more and 10 less, and comparing should come back in short daily practice (5 minutes).

1. Grouping in tens and counting to 120
2. Tens and ones on a place-value mat

3. Comparing two-digit numbers
4. Ten more, ten less, and adding and taking tens
5. Adding within 100

Materials (whole class unless noted)

- Linking cubes too large to swallow, all one colour or mixed: 100 per pair (lessons 1 to 5). Children snap them into towers of ten.
- Optional for lesson 1: craft sticks, about 60 per pair, with strips of paper and tape to wrap bundles of ten (no rubber bands, which may contain latex).
- A tray or sheet of paper per pair to keep each collection together (lesson 1), and some collections to count: about 30 to 60 small objects per pair, too large to swallow (cubes, large buttons, counters).
- A place-value mat per pair (lessons 2, 3 and 5): a sheet split into a "tens" side on the left and a "ones" side on the right, with a strip of card glued down the middle as a ridge and a rough sticker on the tens side, so the two sides can be told apart by touch.
- Two sets of digit cards 0 to 9 per pair (lessons 2, 3 and 5), large print, with each digit outlined in glue or string (or with braille labels) so the cards can be read by touch.
- Symbol cards >, < and = per pair (lesson 3), with the symbol outlined in glue or string so it can be felt. Optional: a toy or home-made balance.
- A 1 to 100 chart (ten rows of ten, 1 at the top left) per pair and a large one for the board (lesson 4), with three counters per child. Large print; if possible, a raised dot on every number in the 10s column (10, 20 ... 100).
- A number strip from 95 to 120 for the board (lesson 1), and a 0 to 120 counting track or the class number line if you have one.
- Whiteboards and pens, or paper and pencils, for drawings and number sentences.

Assessment

Observe during paired work and keep a class list with one column per outcome. A one-to-one check (about 5 minutes per child) during the fourth week:

- "Count on from 97. I'll tell you when to stop." Stop at 112. (98, 99, 100, 101 ... 112; saying 97 first is fine too.) Then: "Write one hundred and four." (104, not 1004.)
- Show 4 towers of ten and 7 loose cubes. "How many cubes?" (47.) Then: "Show me 63 with cubes." (6 towers of ten and 3 loose cubes.)
- "How many tens and ones are in 16? In 50?" (1 ten and 6 ones; 5 tens and 0 ones.)
- Show the cards 58 and 85. "Which is greater? Put a symbol between them." (85 is greater; 58 < 85, because 5 tens is less than 8 tens.)
- "What is 10 more than 46? What is 10 less than 46?" (56; 36.)
- "What is 70 - 40?" (30: 7 tens take away 4 tens is 3 tens.)
- "What is 34 + 8? Show me with cubes or a drawing." (42: 4 + 8 = 12, a new ten and 2 ones, so 3 tens + 1 ten = 4 tens and 2 ones.) "What is 25 + 30?" (55.)

Pointing to cubes, digit cards or the chart, sign, writing, or a communication device all count as answers. Record yes, with help or not yet for each part.

Sources

- Common Core State Standards, Grade 1 Number and Operations in Base Ten (read to check what is usually expected in grade 1, not to claim alignment): https://web.archive.org/web/2025/https://www.thecorestandards.org/Math/Content/1/NBT/
- 1.NBT.A.1 count to 120 starting at any number less than 120, and read and write numerals in that range; 1.NBT.B.2 the two digits of a two-digit number are amounts of tens and ones, with the special cases (a) 10 as a bundle of ten ones called a "ten", (b) 11 to 19 as a ten and one to nine ones, (c) 10, 20 ... 90 as one to nine tens and 0 ones; 1.NBT.B.3 compare two two-digit numbers using the meaning of the digits, recording with >, = and <; 1.NBT.C.4 add within 100, including a two-digit number and a one-digit number, and a two-digit number and a multiple of 10, with models, drawings and place-value strategies, adding tens and tens, ones and ones, and sometimes composing a ten; 1.NBT.C.5 find 10 more or 10 less mentally, without counting, and explain the reasoning; 1.NBT.C.6 subtract multiples of 10 in the range 10 to 90 from multiples of 10, with a positive or zero answer.
- Common Core, Grade 1 introduction (four critical areas, the second being whole number relationships and place value): https://web.archive.org/web/2025/https://www.thecorestandards.org/Math/Content/1/introduction/

Known gaps and cautions

- Taking a one-digit number or a two-digit number away from a two-digit number (for example 42 - 7 or 56 - 23) is not taught here; only taking away multiples of ten. Those come in grade 2.
- Adding two two-digit numbers that are not multiples of ten (34 + 25) is not core; it appears only as a stretch task in lesson 5.
- Hundred charts differ: some start at 0, and some count upwards from the bottom. This unit uses 1 to 100 with 1 at the top left. If your class uses another chart, change "down a row" and "up a row" to match.
- Calling > and < a crocodile's mouth that "eats the bigger number" is a tradition some classes use, not part of the source. This unit asks children to read the symbols as words ("is greater than", "is less than"); the crocodile picture is optional.
- Fluency with 10 more and 10 less is expected; fluency with adding within 100 is not.
- Peer check: Gemini 4 Argon did a bounded text, link, timing and answer-key check at 944d536 (not an educator or accessibility review). Links, counts, timings and keys were correct. Its notes (some side-by-side builds in lessons 1 and 3 needed more than 100 cubes; the one-to-one check did not cover writing numbers past 100 or outcome 3; digit cards had no tactile marking) were fixed in the follow-up commit 096f355 (see PEERCHECKS.md), which Argon also diff-checked the same day.
- The lesson order and timings are my choice, not taken from a source.

Lesson 1: Grouping in tens and counting to 120

Unit overview - Next: Lesson 2

About 40 minutes.

Goal

Children count a large collection by grouping it into tens, say how many tens and ones there are, and count on past 100 up to 120.

Materials

- 100 linking cubes per pair.
- A collection of about 30 to 60 small objects per pair (cubes, large buttons or counters, too large to swallow), each on a tray or sheet of paper.
- Optional: about 60 craft sticks per pair, with paper strips and tape for wrapping bundles of ten.
- A number strip from 95 to 120 on the board, and a counting track or class number line if you have one.
- Whiteboards and pens, or paper and pencils.

Steps

✎ Opening (5 min)

Count together in ones from different starting numbers: "Start at 28 and count to 35." "Start at 56 and count to 64." Stop at the decade changes (29 to 30, 59 to 60) and ask: "What comes after 39?" (40.) Children who prefer not to say the numbers aloud can point along the number line or tap a finger for each number.

✎ Main activity (30 min)

1. **How many? (10 min).** Give each pair a collection of 30 to 60 objects. "Guess how many, then count them. How can you count so you don't lose track?" Let pairs try their own way first. Then show one way: make groups of ten (in lines, or as towers of linking cubes) and count the groups "10, 20, 30, 40", then the loose ones "41, 42, 43". Pairs count their collection again in tens and write the number. For example 4 groups of ten and 3 more is 43.
2. **Make a ten (10 min).** "Ten ones can become one ten." Each pair snaps cubes into towers of ten. If you have craft sticks, pairs wrap groups of ten sticks with a paper strip to make bundles. The teacher shows some towers and loose cubes and pairs say how many:
    - 2 towers and 6 cubes (26)
    - 5 towers and 0 cubes (50)
    - 1 tower and 8 cubes (18)

    - 7 towers and 4 cubes (74) Then pairs build numbers the teacher says: 35 (3 towers, 5 cubes); 60 (6 towers, no cubes); 19 (1 tower, 9 cubes).
3. **Past 100 (10 min).** Count from 95 to 120 together, pointing to the strip on the board: "...98, 99, 100, 101..." Show that the numbers after 100 go on like the numbers after 0: 101, 102, 103 ... 110, 111 ... 120. Pairs take turns: one says a start number between 95 and 110, the other counts on five numbers (for example 107: 108, 109, 110, 111, 112). Children write two of the numbers they said on a whiteboard (such as 104 and 111).

✓ Discussion questions (with answers)

- Why is counting in tens quicker than counting in ones? We count 4 groups instead of 40 single objects, and if we lose our place we only recount one group.
- Is a tower of ten cubes one thing or ten things? Both: it is ten ones, and we can also count it as one ten.
- What comes after 109? 110. (A common answer is "200"; see teacher notes.)

✓ Closing check (5 min, with answers)

Show 3 towers of ten and 6 loose cubes. "How many?" (36.) "Count on from 98 to 103." (99, 100, 101, 102, 103.)

Vocabulary

ten, tens, ones, group, bundle, tower, count on, hundred

Differentiation

- **Support:** collections up to 30; count to 50 instead of 120.
- **Stretch:** "I have 9 towers and 12 loose cubes. How many cubes?" (102: the 12 loose cubes make another tower and 2, so 10 towers and 2.) This needs more than one pair's 100 cubes: join with another pair, or draw lines for tens and dots for ones.
- Children with low vision or who are blind can count by touch: towers of ten feel different from loose cubes. Children can show answers by building with cubes, pointing to the number line, writing, signing, or using a communication device.

⚠ Safety

Use objects too large to swallow. Keep craft sticks on the tables, and no rubber bands (latex allergies, and they flick).

Teacher notes and misconceptions

- Some children count the towers in ones ("1, 2, 3, 4") and then the loose cubes ("5, 6, 7"), giving 7 instead of 43. Ask them to count one tower cube by cube, then say "so this tower is 10".

- Past 100, children often say "200" after 109, or write 101 as "1001" (one hundred, then one). Say and write the numbers together, and point out that 101 has three digits, like 100.

Lesson 2: Tens and ones on a place-value mat

Unit overview - Previous: Lesson 1 - Next: Lesson 3

About 40 minutes.

Goal

Children show two-digit numbers as tens and ones on a mat, explain that 11 to 19 are a ten and some ones and that 10, 20 ... 90 are tens with no ones, and say what each digit means.

Materials

- 100 linking cubes per pair, with some already snapped into towers of ten.
- A place-value mat per pair (tens on the left, ones on the right; card ridge down the middle and a rough sticker on the tens side).
- Two sets of digit cards 0 to 9 per pair, large print with a raised outline.
- Whiteboards and pens, or paper and pencils.

Steps

✎ Opening (5 min)

Show 2 towers and 4 loose cubes. "How many?" (24.) Put the towers on the tens side of a large mat and the loose cubes on the ones side, then put the digit card 2 under the tens side and 4 under the ones side. "The 2 tells us 2 tens. The 4 tells us 4 ones."

✎ Main activity (30 min)

1. **Teen numbers (10 min).** "Show 13 on your mat." (1 tower, 3 cubes.) Pairs show 11 to 19 in turn, putting digit cards under each side, and say the sentence "13 is 1 ten and 3 ones." Ask: "What is the same about all these numbers?" (They all have 1 ten; the first digit is always 1.)
2. **Decades (10 min).** "Show 30." (3 towers, no loose cubes.) "What digit goes on the ones side?" (0, because there are no ones.) Pairs show 20, 50, 80 and 90, and say "50 is 5 tens and 0 ones." Then ask: "How many tens is 100?" (10 tens.) Pairs check by putting 10 towers together.
3. **Same digits, different numbers (10 min).** Pairs show 27 and then 72 (2 tens and 7 ones; 7 tens and 2 ones). "Are they the same?" (No: 72 has many more cubes.) Then one child picks two digit cards and puts them on the mat; the partner builds the number with cubes and says it. Swap roles. Examples to check: 4 and 6 (46 or 64), 9 and 1 (91 or 19), 5 and 0 (50, or 05, which is just 5).

✓ Discussion questions (with answers)

- In 46, what does the 4 mean? 4 tens, which is 40.

- Why is there a 0 in 60? To show there are no ones; without it the number would be 6.
- Is 19 more like 10 or like 90? Like 10: it has only 1 ten (19 is 1 ten and 9 ones).

✓ Closing check (5 min, with answers)

"Show 52 on your mat." (5 towers, 2 cubes.) "What does the 5 mean?" (5 tens, 50.) "How many tens and ones in 80?" (8 tens, 0 ones.)

Vocabulary

place value, tens, ones, digit, tens side, ones side, teen numbers

Differentiation

- **Support:** numbers to 30; one digit card set and a ready-made tower per ten.
- **Stretch:** "Show 34 a different way, using only 2 towers." (2 towers and 14 loose cubes.)
- The ridge and the rough sticker let children tell the two sides of the mat apart by touch, so colour is never the only clue. Children can answer by pointing, building, signing, or using a communication device.

⚠ Safety

Use cubes too large to swallow.

Teacher notes and misconceptions

- The teen number names are irregular: "thirteen" says the 3 first, but the 1 ten is written first. Children often write 13 as 31. Saying "1 ten and 3 ones" before writing helps.
- Some children read the digits but not their value ("46 is a 4 and a 6"). Keep asking "4 what?" until the answer is "4 tens".

Lesson 3: Comparing two-digit numbers

Unit overview - Previous: Lesson 2 - Next: Lesson 4

About 40 minutes.

Goal

Children compare two two-digit numbers by looking at the tens first and then the ones, and record the result with the symbols >, = and <.

Materials

- 100 linking cubes per pair, with towers of ten.
- A place-value mat per pair.
- Two sets of digit cards 0 to 9 per pair, large print with a raised outline.
- Symbol cards >, < and = per pair, with raised outlines.
- Optional: a toy or home-made balance.
- Whiteboards and pens, or paper and pencils.

Steps

✎ Opening (5 min)

Build 34 and 43 side by side with towers and cubes. "Which has more cubes? How can you tell quickly?" (43: it has 4 tens, and 34 has only 3 tens. The ones do not matter here, because one ten is more than any number of ones up to 9.)

✎ Main activity (30 min)

1. **Tens first, then ones (10 min).** Pairs build each pair of numbers and say which is greater:
    - 36 and 32 (36; same tens, so look at the ones: 6 is more than 2)
    - 50 and 49 (50; 5 tens is more than 4 tens, even though 49 has 9 ones)
    - 41 and 14 (41; 4 tens is more than 1 ten)
    - 28 and 28 (they are equal) Each time, children say the sentence: "36 is greater than 32."
2. **The symbols (10 min).** Write 36 > 32 and read it: "36 is greater than 32." Write 32 < 36 and read it: "32 is less than 36." The pointed end points to the smaller number; the open side faces the greater number. (Some classes call the symbol a crocodile's mouth that opens towards the bigger number; that picture is optional.) Pairs put a symbol card between number cards and read the sentence aloud or sign it:
    - 63 and 36 (63 > 36)
    - 47 and 49 (47 < 49)
    - 80 and 80 (80 = 80)
    - 15 and 51 (15 < 51)

3. **Make the bigger number (10 min).** Each child in a pair takes two digit cards without looking and arranges them to make the greatest number they can (with 3 and 7, make 73). Partners put their numbers side by side, place the right symbol between them and read the sentence. The child with the greater number keeps a cube; play several rounds. Tell children that "0" cannot go first in this game, since 05 is just 5.

✓ Discussion questions (with answers)

- Why do we look at the tens first? Because one ten is more than all the ones in a number (at most 9), so the number with more tens is greater.
- When do we need to look at the ones? When the tens are the same, as in 36 and 32.
- You have the cards 3 and 7. What is the greatest number you can make, and the smallest? 73 and 37.

✓ Closing check (5 min, with answers)

"Which symbol goes between 63 and 36?" (>, 63 is greater.) "Between 47 and 49?" (<, 47 is less.) "Read this: 28 = 28." ("28 is equal to 28.")

Vocabulary

greater than, less than, equal to, compare, symbol, tens first

Differentiation

- **Support:** compare numbers within 30, and build both numbers every time before choosing a symbol. Use a balance to show "equal" if you have one.
- **Stretch:** "Find all the numbers that make this true: 4□ > 46." (47, 48, 49.)
- Raised symbol cards let children feel which way the symbol points. Children can answer by placing a card, pointing, signing, or using a communication device.

⚠ Safety

Use cubes too large to swallow.

Teacher notes and misconceptions

- Every number built in this lesson fits in one pair's 100 cubes (the biggest side-by-side build, 50 and 49, uses 99).
- Children who look at the ones first may say 49 is greater than 50 ("9 is bigger than 0"). Build both: 4 towers and 9 cubes next to 5 towers.
- The symbols are often reversed. Reading the whole sentence aloud, from left to right, is a better check than remembering which way the symbol faces.

Lesson 4: Ten more, ten less, and adding and taking tens

Unit overview - Previous: Lesson 3 - Next: Lesson 5

About 40 minutes.

Goal

Children find 10 more and 10 less than a two-digit number without counting in ones, and add and take away multiples of ten.

Materials

- A 1 to 100 chart per pair (ten rows of ten, 1 at the top left) and a large one for the board, with three counters per child.
- 100 linking cubes per pair, with towers of ten.
- Whiteboards and pens, or paper and pencils.

Steps

✎ Opening (5 min)

Count in tens together from 0 to 100, then from 3: "3, 13, 23, 33 ..." up to 93. "What changes and what stays the same?" (The tens digit goes up by one; the ones digit stays 3.)

✎ Main activity (30 min)

1. **Patterns on the chart (10 min).** Pairs put a counter on 24 and then on the number just below it (34) and just above it (14). "What happens when we move down one row?" (The number goes up by 10.) "Up one row?" (It goes down by 10.) Pairs try from 57 (down 67, up 47) and from 81 (down 91, up 71).
2. **10 more, 10 less (10 min).** Build 34 with towers and cubes. "Add one tower. How many now?" (44.) "Take away one tower from 34." (24.) Only the tens change. Pairs answer without counting in ones, then check on the chart or with cubes:
    - 10 more than 46 (56)
    - 10 less than 71 (61)
    - 10 more than 89 (99)
    - 10 less than 15 (5)
    - 10 more than 90 (100)
3. **Adding and taking tens (10 min).** "30 + 40. 3 tens and 4 tens make 7 tens, so 70." Pairs use towers only:
    - 50 + 20 (70)
    - 30 + 60 (90)
    - 80 - 30 (50)
    - 90 - 40 (50)

    - 60 - 60 (0) Each time ask children to say it in tens: "8 tens take away 3 tens is 5 tens."

✓ Discussion questions (with answers)

- Why does only the tens digit change when we add 10? We add one ten and no ones, so the ones stay the same.
- What is 10 less than 15, and where is it on the chart? 5. It is in the same column as 15, one row up.
- How is 7 - 4 like 70 - 40? 7 ones take away 4 ones is 3 ones; 7 tens take away 4 tens is 3 tens, or 30.

✓ Closing check (5 min, with answers)

"What is 10 more than 52?" (62.) "10 less than 52?" (42.) "What is 70 - 20?" (50.)

Vocabulary

10 more, 10 less, row, column, hundred chart, multiple of ten

Differentiation

- **Support:** use towers and cubes for every question before the chart; numbers to 50.
- **Stretch:** "What is 20 more than 37? 30 less than 85?" (57; 55.)
- Large-print charts with a raised dot on each number in the 10s column help children with low vision or who are blind find the rows. Counters mark numbers, so colour is never needed. Children can answer by pointing, building, signing, or using a communication device.

⚠ Safety

Use cubes and counters too large to swallow.

Teacher notes and misconceptions

- Some children count on ten ones every time ("46, 47, 48 ... 56"). That gives the right answer but misses the point; ask "What changed?" and build it with one tower.
- On the chart, the numbers that end in 0 sit at the right-hand end of each row, so 30 is in the row with 21 to 29, not with 31. Children may expect 30 to start a new row.

Lesson 5: Adding within 100

Unit overview - Previous: Lesson 4

About 40 minutes.

Goal

Children add a multiple of ten or a one-digit number to a two-digit number within 100, putting tens with tens and ones with ones, and make a new ten when the ones add up to 10 or more.

Materials

- 100 linking cubes per pair, with towers of ten.
- A place-value mat per pair.
- Two sets of digit cards 0 to 9 per pair, large print with a raised outline.
- Whiteboards and pens, or paper and pencils.

Steps

✎ Opening (5 min)

Quick questions from lesson 4: "10 more than 63?" (73.) "40 + 30?" (70.) "What is 7 + 5?" (12.) "How many tens and ones is 12?" (1 ten and 2 ones.)

✎ Main activity (30 min)

1. **Adding tens (10 min).** "23 + 30. Build 23 on your mat. Add 3 towers to the tens side. How many tens now? How many ones?" (5 tens, 3 ones: 53.) Only the tens change. Pairs build and write the number sentence:
    - 46 + 20 (66)
    - 58 + 40 (98)
    - 15 + 70 (85)
2. **Adding ones (10 min).** "32 + 5. Build 32, add 5 loose cubes to the ones side." (3 tens, 7 ones: 37.) Only the ones change. Pairs try:
    - 61 + 7 (68)
    - 44 + 4 (48)
    - 83 + 6 (89)
3. **Making a new ten (10 min).** "27 + 5. Build 27, add 5 loose cubes. How many ones now?" (12.) "Can we make a new tower?" Snap 10 of the ones into a tower and move it to the tens side: now 3 tens and 2 ones, 32. Write it as 7 + 5 = 12, so 20 + 12 = 32. Pairs try, making a new tower each time:
    - 38 + 6 (44)
    - 45 + 9 (54)
    - 56 + 4 (60; the new ten leaves no ones)

✓ Discussion questions (with answers)

- In 23 + 30, why do we add the 3 tens to the tens side, not the ones side? 30 is 3 tens; 23 + 3 would be 26, which is a different sum.
- When do we need to make a new ten? When the ones add up to 10 or more, as in 27 + 5, where 7 + 5 = 12.
- Why is 56 + 4 exactly 60? 6 + 4 = 10 ones, which is a new ten, so we have 6 tens and no ones.

✓ Closing check (5 min, with answers)

"36 + 7. Show me with cubes or a drawing." (43: 6 + 7 = 13, a new ten and 3 ones, so 4 tens and 3 ones.) "52 + 30?" (82.)

Vocabulary

add, tens, ones, make a new ten, number sentence, sum

Differentiation

- **Support:** questions without a new ten first; totals up to 50; build every question with cubes.
- **Stretch:** "34 + 25. Add the tens, then the ones." (30 + 20 = 50, 4 + 5 = 9, so 59.) Then: "27 + 35." (50 + 12 = 62.)
- Children can draw tens as lines and ones as dots instead of using cubes. Children who are blind or have low vision can build on the tactile mat. Answers can be given by pointing to digit cards, building, signing, or a communication device.

⚠ Safety

Use cubes too large to swallow.

Teacher notes and misconceptions

- A common error in 23 + 30 is adding the 3 to the ones (answer 26) or writing "2330". Saying "30 is 3 tens" before building helps.
- In 27 + 5, some children write 212 ("2 tens and 12 ones"). Making the new tower with real cubes, and moving it to the tens side, shows why the answer is 32.
- Use the last part of the week for the one-to-one check in the unit overview.