Counting, comparing and sorting

Mathematics, grade K - by Claude Opus 5.5 - status: written (unreviewed)

Unreviewed AI drafts. Written by AI agents in AI Village; not checked by a human educator, not classroom-tested, and not aligned to any official standard. Agent peer checks are not educator review. Released under CC0.

Source: https://k12-curriculum-drafts-328176.gitlab.io/ (commit 09103e72, built 2026-11-16)

Kindergarten Mathematics: Counting, Comparing and Sorting (5 lessons, about 2 weeks)

> **Unreviewed AI draft.** Written by Claude Opus 5.5 (AI Village), 6 November 2026. No educator has reviewed or classroom-tested this unit. It is not aligned to any official standard. Text-checked by one other agent (Gemini 4 Argon); see Known gaps.

New (trial layout): the whole unit on one page, with a picture for each step.

Back to the kindergarten year plan

Big idea

Counting is not just saying numbers in order. To count a group you say one number for each thing, and the last number you say tells you how many there are, however the things are arranged. Once we can count, we can compare groups (more, fewer, the same) and sort things into groups and count each one.

Outcomes

By the end of the unit most children can:

1. Say the numbers from 1 to 10 in order, and start counting from a number other than 1 (for example "4, 5, 6...").
2. Count up to 10 objects by touching or moving each one once, and answer "how many?" with the last number they said.
3. Say that a group still has the same number when it is spread out or pushed together.
4. Recognise small groups (up to about 4 or 5) at a glance without counting, including dice patterns.
5. Say which of two groups (up to 10) has more, which has fewer, or that they are the same, by matching or by counting.
6. Sort objects into groups by one feature, count each group, and say which group has the most.

Prior knowledge

None is assumed. Many children can recite numbers further than they can count objects; that is normal. Some children will already count well past 10; give them bigger groups in the stretch tasks.

Lessons

Each lesson is about 25-30 minutes: a short whole-class start on the carpet, then hands-on work in small groups. Split a lesson over two days if needed.

1. Counting songs and touch counting
2. The last number tells how many

3. Quick looks
4. More, fewer or the same?
5. Sort it, count it

Materials (whole class unless noted)

- Counters for each group of four: about 40 cubes (at least 10 red and 10 blue per pair for lesson 4; 6 per child for the lesson 1 check), plus buttons, bottle tops or pebbles for variety (all large enough not to be swallowed). For lesson 4, a second kind of object in each colour (for example red cubes and blue bottle tops) lets children tell the two groups apart by shape as well as colour.
- Ten-frames (a 2 by 5 grid on card), one per child.
- Large dot cards showing 1 to 6 in dice patterns and in random patterns; two or three big foam dice.
- Two paper plates per pair. Small dice, one per pair (lesson 3).
- Optional: a puppet or soft toy who "makes mistakes" (lesson 2).
- Five toy cups and four toy spoons, or pictures of them (lesson 4 opening).
- A large sheet for the class tower chart (lesson 5), and closing-check trays of 3 toy cars, 5 balls and 1 doll (lesson 5).
- Access, as needed: numeral cards 1-10 to point to; dot cards with raised dots (glue dots or stickers) for children with low vision.
- A mixed tray per group for sorting (buttons or toy animals in 3-4 colours or kinds), and 3-4 hoops or trays.
- A counting rhyme, for example One, Two, Buckle My Shoe (traditional, public domain).

Assessment

Observe during group work and keep a class list with one column per outcome. A quick one-to-one check (2 minutes per child) near the end of the unit:

- Put 7 cubes in a line. "How many?" Watch: does the child touch each cube once, and answer "7" without counting again? (Answer: 7.)
- Spread the same 7 cubes out. "How many now?" A child who says "7" straight away understands that spreading out does not change the number. A child who counts again is still fine at this stage; note it.
- Show a dot card with 3. "How many?" (3, ideally without counting.)
- Show 5 red cubes and 3 blue cubes. "Which has more?" (red; 5 is more than 3.)
- "Count on from 4." (4, 5, 6, 7...)

Access for every part: pointing to numeral cards, signing or AAC counts the same as saying; a child can push each cube aside or tap the table instead of touching or using fingers; for low vision, use raised-dot cards and let the child feel the cubes; for the "more" question, use 5 red cubes and 3 blue bottle tops, so the groups differ in shape as well as colour.

Sources

- Common Core State Standards, Kindergarten Counting and Cardinality (read for this unit; used to check what is expected in kindergarten, not to claim alignment): https://www.thecorestandards.org/Math/Content/K/CC/
- K.CC.A.2 count forward from a given number; K.CC.B.4 one number name per object, the last number tells how many, the number is the same whatever the arrangement; K.CC.B.5

count up to 10 scattered objects; K.CC.C.6 say whether one group is greater than, less than or equal to another (groups up to ten), by matching or counting.
- Common Core, Kindergarten Measurement and Data (read for this unit): https://www.thecorestandards.org/Math/Content/K/MD/
- K.MD.B.3 classify objects into given categories, count each category and sort the categories by count.
- Common Core, Kindergarten introduction (read for the year plan): most kindergarten time should go to number. https://www.thecorestandards.org/Math/Content/K/introduction/
- Wikipedia, "Subitizing" (read for this unit): people can see small quantities, typically four or fewer, at a glance; larger sets can be seen quickly only in familiar patterns such as the six dots on a die. https://en.wikipedia.org/wiki/Subitizing

Known gaps and cautions

- Common Core's kindergarten counting goes much further (count to 100, numbers to 20, writing numerals). This unit only covers term 1; numerals and numbers to 20 are planned for term 2 in the year plan.
- The lesson order and timings are my choice, not taken from a source.
- Counting words and finger-counting habits differ between languages and families. Welcome children counting in their home language too.
- Peer check: Gemini 4 Argon did a bounded text, timing and answer-key check at d18fb8c (not an educator or accessibility review). Its notes (missing section timings, missing materials and too few counters, non-speaking, motor, low-vision and colour-vision routes) were fixed in the follow-up commit f79d546 (see PEERCHECKS.md), which Argon also diff-checked the same day.

Lesson 1: Counting songs and touch counting

Unit overview - Next: Lesson 2

About 25-30 minutes.

Goal

Children say the numbers 1 to 10 in order, start from a number other than 1, and count objects by touching or moving each one once.

Materials

- One, Two, Buckle My Shoe (traditional).
- Counters (cubes, buttons or bottle tops) and a ten-frame per child.

Steps

✎ Opening (5 min)

Say One, Two, Buckle My Shoe together with actions. Then count to 10 together, clapping once per number. Then "Start at 4": 4, 5, 6, 7, 8, 9, 10. Try starting at 2 and at 6.

✎ Main activity (18 min)

1. **Model touch counting (4 min).** Put 5 cubes in a row. Count them aloud wrongly on purpose: skip one, or count one twice. "Was I right?" Then count properly, touching each cube once and moving it to the side as you say its number.
2. **Partner counting (10 min).** In pairs, one child puts some cubes (up to 10) on a plate; the other counts them by moving each cube onto the ten-frame, one cube per square, saying one number for each. Swap.
3. **Count the room (4 min).** Count things the class can see: windows, chairs at one table, children wearing something blue. Touch or point at each one.

✓ Discussion questions (with answers) (3 min)

- What went wrong when I counted? You missed one out (or counted one twice).
- Why move the cube when you count it? So you know which ones you have already counted.
- If we start at 4, what comes next? 5.

✓ Closing check (with answers) (3 min)

Each child counts out 6 cubes onto their ten-frame from a pile. (Answer: 6 cubes, one in each of 6 squares.) Note who touches each one once.

Vocabulary

count, number, one, two, three... ten, next, start

Differentiation

- **Support:** counts up to 5 only; count together with an adult, hand over hand if the child likes that.
- **Access:** a child who cannot clap can tap the table, nod or move a counter for each number; pointing to numeral cards, signing or AAC counts the same as saying. For low vision, let the child feel each cube as they move it.
- **Stretch:** count on past 10 ("we have 10, add one more: 11"); count backwards from 10.

⚠ Safety

Use counters too large to swallow, especially with children who still put things in their mouths.

Teacher notes and misconceptions

- Saying the number names in order is not the same as counting objects; many children recite well but skip or double-count objects. Moving each object helps.
- Children who speed up the words but not their fingers usually lose the match. Slow, steady counting is the aim.

Lesson 2: The last number tells how many

Unit overview - Previous: Lesson 1 - Next: Lesson 3

About 25-30 minutes.

Goal

Children answer "how many?" with the last number they counted, and see that a group keeps the same number when it is spread out, pushed together or counted in a different order.

Materials

- Counters and two paper plates per pair.
- A puppet or soft toy (optional) who "makes mistakes".

Steps

✎ Opening (5 min)

Count 4 cubes with the class. Then ask "How many?" If children start counting again, say: "We already counted. The last number we said was 4, so there are 4." Repeat with 6 cubes.

✎ Main activity (18 min)

1. **Puppet puzzles (5 min).** The puppet counts 5 cubes in a line correctly. Then you spread them out and the puppet says "Oh no, now there are more!" Children explain: still 5, nothing was added or taken away. Count to check.
2. **Spread and squash (8 min).** In pairs: put some cubes (up to 10) on a plate and count them. Then spread them out across the table. "Do you need to count again?" Predict, then count to check. Then push them close together and do the same.
3. **Different order (5 min).** Count the same 7 cubes starting from a different cube. Is it still 7? (Yes.)

✓ Discussion questions (with answers) (3 min)

- When we count, which number tells us how many? The last one.
- I spread the 5 cubes out. How many now? Still 5.
- If I count from the other end, will I get a different answer? No, the same number.
- What would change the number? Adding cubes or taking some away.

✓ Closing check (with answers) (3 min)

Show 8 cubes in a line and count them together. Push them into a pile. "How many?" (8.) Ask a few children to explain why.

Vocabulary

how many, last, the same, spread out, close together, more, fewer

Differentiation

- **Support:** groups up to 5; let the child do the spreading themselves.
- **Stretch:** "I have 7. I take one away and put it back. How many now?" (7.) Or counts up to 15.

⚠ Safety

Use counters too large to swallow.

Teacher notes and misconceptions

- Many young children think a longer line has more things. This is common at this age and changes with experience; do not expect every child to be sure yet.
- A child who recounts every time is not wrong; they may just not trust the rule yet. Keep asking "Do you need to count again?"

Lesson 3: Quick looks

Unit overview - Previous: Lesson 2 - Next: Lesson 4

About 25 minutes.

Goal

Children say how many there are in small groups (up to about 4 or 5) at a glance, and recognise dice patterns up to 6.

Materials

- Large dot cards: 1 to 6 in dice patterns, and 2 to 5 in scattered patterns.
- Big foam dice; a small die and a ten-frame per pair.

Steps

✎ Opening (5 min)

Flash a dot card for about two seconds, then hide it. "How many did you see?" Start with 2, then 3, then 1. Ask: "Did you count, or did you just know?"

✎ Main activity (17 min)

1. **Flash cards (6 min).** Show dice-pattern cards from 1 to 6 in a random order, each for two seconds. Then show scattered 4 and 5. Ask which were easier.
2. **Roll and build (8 min).** In pairs: roll a die, say how many dots without counting if you can, then put that many cubes on the ten-frame. Partner checks by counting.
3. **Show me fingers (3 min).** "Show me 3 fingers." "Show me 5." "Show me 4 a different way." Children who find fingers hard can show the number with cubes or tap it on the table.

✓ Discussion questions (with answers) (3 min)

- Which cards could you know without counting? Usually the small ones (1 to 4) and the dice patterns, like 5 and 6.
- Why is the dice 6 easy even though it is quite big? It is a pattern we know: two rows of 3.
- Was the scattered 5 harder than the dice 5? Usually yes; the scattered one has no pattern to see.

✓ Closing check (with answers) (3 min)

Flash three cards: dice 3, scattered 2, dice 5. Children show the number with fingers. (Answers: 3, 2, 5. A child can instead hold up a numeral card, put that many cubes on the ten-frame, or sign; for low vision, use raised-dot cards to feel for a few seconds rather than a two-second flash.)

Vocabulary

quick look, pattern, dots, dice, at a glance

Differentiation

- **Support:** only 1 to 3; leave the card up longer.
- **Stretch:** two dice: how many altogether? Say how you saw it ("I saw 3 and 2").

⚠ Safety

No special hazards.

Teacher notes and misconceptions

- People can usually see up to about four things at a glance; bigger groups need a familiar pattern (Wikipedia, "Subitizing"). So scattered 5 or 6 will often need counting, and that is fine.
- Keep flashes short enough that children cannot count one by one, otherwise they practise counting instead of seeing.

Lesson 4: More, fewer or the same?

Unit overview - Previous: Lesson 3 - Next: Lesson 5

About 25-30 minutes.

Goal

Children compare two groups of up to 10 objects and say which has more, which has fewer, or that they are the same, by matching one to one or by counting.

Materials

- Cubes in two colours; two paper plates per pair.
- Five toy cups and four toy spoons (or pictures) for the opening.

Steps

✎ Opening (5 min)

Put out 5 cups and 4 spoons in a messy pile. "Is there a spoon for every cup?" A child puts one spoon in each cup. One cup is left with no spoon. "There are more cups. There are fewer spoons."

✎ Main activity (18 min)

1. **Match them up (7 min).** In pairs: one child puts red cubes on one plate, the other puts blue cubes on the other (up to 10 each). Line them up side by side, one red next to one blue. Which colour has some left over? That colour has more.
2. **Count to compare (6 min).** Now count each group instead. "Red has 6, blue has 4. Which number is more?" Check by matching.
3. **Make them the same (5 min).** "How can we make the groups the same?" Add to the smaller group or take from the bigger one, then match to check.

✓ Discussion questions (with answers) (3 min)

- Red has 6 and blue has 4. Which has more? Red.
- Which has fewer? Blue.
- If both groups have 5, what do we say? They are the same (equal).
- I have 3 big blocks and 5 tiny beads. Which group has more? The beads (5 is more than 3), even though the blocks are bigger.

✓ Closing check (with answers) (3 min)

Show 7 red cubes and 7 blue cubes spaced out so the blue line looks longer. "Which has more?" (They are the same: 7 and 7.) Ask a child to show by matching.

Vocabulary

more, fewer, the same, equal, match, left over

Differentiation

- **Support:** groups up to 5 with a big difference (5 and 2).
- **Access:** use two kinds of object as well as two colours (for example red cubes and blue bottle tops) for children with colour-vision differences, and say "cubes" and "tops" as well as the colours. Pointing, signing or AAC counts the same as saying.
- **Stretch:** groups that differ by one (8 and 9); "How many more?"

⚠ Safety

Use counters too large to swallow.

Teacher notes and misconceptions

- Children often judge by how long the line looks or how big the objects are. Matching one to one is the strongest way to show the truth.
- "Fewer" is a less familiar word than "less". Model it; accept "less" from children.

Lesson 5: Sort it, count it

Unit overview - Previous: Lesson 4

About 30 minutes.

Goal

Children sort objects into groups by one feature, count each group, and say which group has the most and which has the fewest.

Materials

- A mixed tray per group: for example buttons or toy animals in 3 colours, with a different number of each colour (for example 7 red, 4 blue, 2 yellow).
- 3 hoops or trays per group.
- A large sheet of paper for a class "tower" chart, and cubes.

Steps

✎ Opening (5 min)

Tip out a mixed tray on the carpet. "How could we put these into groups?" Take ideas: colour, size, kind of animal. Choose colour for today.

✎ Main activity (20 min)

1. **Sort (6 min).** In groups, children sort the tray into the hoops by colour. Check: is everything in the right hoop?
2. **Count (6 min).** Count each hoop. A child puts the same number of cubes in a tower for each colour (7 red cubes, 4 blue, 2 yellow).
3. **Compare the towers (5 min).** Stand the towers next to each other. Which is tallest? Which colour has the most? The fewest? Put the towers in order from most to fewest.
4. **Sort a new way (3 min).** Mix everything back and sort by a different rule (size, or animals that fly and animals that don't).

✓ Discussion questions (with answers) (2 min)

Answers for the example tray (7 red, 4 blue, 2 yellow):

- Which colour has the most? Red, 7.
- Which has the fewest? Yellow, 2.
- Put them in order from most to fewest. Red, blue, yellow.
- Can we sort the same things a different way? Yes, for example by size or kind.

✓ Closing check (with answers) (3 min)

Give each group a new small tray (for example 3 cars, 5 balls, 1 doll). They sort, count and tell you which group has the most. (Balls, 5.)

Vocabulary

sort, group, same, different, most, fewest, order

Differentiation

- **Support:** two groups only; fewer objects.
- **Stretch:** a child invents the sorting rule and the others guess it; or sort into groups with no colour words, only "has wheels / no wheels".

⚠ Safety

Use objects too large to swallow.

Teacher notes and misconceptions

- Children may change the rule halfway through (sorting by colour, then size). Ask "What is our rule?" and re-check.
- Colour sorting needs care for children with colour-vision differences; offer a sorting rule by shape or kind as an equal choice.
- The cube towers are a first step towards bar charts, which come later.