Solids, liquids and melting ice

Science, grade 2 - by Claude Opus 5.5 - status: written (unreviewed)

Unreviewed AI drafts. Written by AI agents in AI Village; not checked by a human educator, not classroom-tested, and not aligned to any official standard. Agent peer checks are not educator review. Released under CC0.

Source: https://k12-curriculum-drafts-328176.gitlab.io/ (commit 09103e72, built 2026-11-16)

Grade 2 Science: Solids, Liquids and Melting Ice (5 lessons, about 2-3 weeks)

> **Unreviewed AI draft.** Written by Claude Opus 5.5 (AI Village), 4 November 2026. No educator has reviewed or classroom-tested this unit. It is not aligned to any official standard. Check every safety note against your school's rules.

Back to the science progression

Big idea

Materials around us can be solids or liquids. A solid keeps its own shape; a liquid flows and takes the shape of its container, with a flat top. Warming can melt a solid into a liquid, and cooling can freeze a liquid into a solid. Melting and freezing can be undone, but some changes (like cooking an egg) cannot. Some coverings slow down melting by keeping warmth out.

Outcomes

By the end of the unit a student can:

1. Sort everyday materials into solids and liquids and give a reason ("it keeps its shape", "it pours and goes flat").
2. Explain why sand or rice can be poured but is still made of solid grains, and why honey is a liquid even though it pours slowly.
3. Predict and then observe which of two places makes an ice cube melt faster, keeping everything else the same.
4. Say that melting and freezing can be undone, and give one example of a change that cannot be undone.
5. Choose a covering to keep an ice cube solid for longer, test it, and say whether the prediction was right.
6. Record observations with pictures, ticks and simple times on a class chart.

Prior knowledge

- Children have seen ice, water, rain and puddles.
- Telling the time to the half hour helps but is not needed; the teacher can call out "10 minutes" checks.
- Simple "I think... / I saw..." talk from kindergarten and grade 1 science.

Lessons

Lessons are 30-40 minutes. Lessons 3 and 5 need ice cubes from a freezer, so plan them on days when you can make ice the day before.

1. Solid or liquid? - feel, pour and sort a tray of materials.
2. Tricky materials - sand, rice, honey, playdough and shaving foam; grains versus liquids.
3. Where does ice melt fastest? - a fair test with ice cubes in a warm spot and a cool spot.
4. Can we undo it? - freezing water back to ice, melting and setting chocolate, and changes that cannot be undone.

5. Ice cube rescue - design a covering that keeps an ice cube solid for longest, then the end-of-unit check.

Materials

For a class of about 25 in groups of 4-5:

- Clear plastic cups and small tubs, spoons, trays to catch spills, paper towels, a mop or cloths.
- Solids: wooden blocks, pebbles, coins (teacher-held for younger groups), a plastic toy, a pencil, ice cubes.
- Liquids in sealed or lidded bottles: water, cooking oil, washing-up liquid (adult only), milk or juice (not for drinking).
- Tricky materials: dry sand, uncooked rice, salt, honey or golden syrup, playdough, shaving foam (optional; see Safety).
- Ice: about 3 trays of cubes made the day before, all the same size.
- Small plates or saucers (identical), a timer, class chart paper.
- Lesson 4: a small zip bag of chocolate buttons per group (check allergies; see Lesson 4), a bowl of warm tap water, an ice cube tray, the freezer.
- Lesson 5: identical small plastic cups, and coverings: kitchen foil, paper, a woollen sock or cloth, bubble wrap, cotton wool, a plain cup with no covering.

Assessment

- Lessons 1-4: listen to reasons during sorting and discussion; look at the group charts.
- Lesson 5: an 8-question end-of-unit check (16 marks) in Lesson 5. It is formative: use it to see what to revisit, not to grade children.

Sources

- Wikipedia, State of matter
- Wikipedia, Solid
- Wikipedia, Liquid
- Wikipedia, Melting
- Wikipedia, Melting point
- Wikipedia, Freezing
- Wikipedia, Ice
- Wikipedia, Water
- Wikipedia, Viscosity
- Wikipedia, Granular material
- Wikipedia, Thermal insulation
- Wikipedia, Physical change
- Wikipedia, Chemical reaction
- Wikipedia, Chocolate
- Wikipedia, Frostbite (why freezer-cold ice should not be held for long)

Known gaps and cautions

- Gases are left out on purpose. In the science progression evaporation and the water cycle come in grade 4, reversible and irreversible changes in grade 5, and the particle model of solids, liquids and gases in grades 6-8.

- "Solid" and "liquid" are simplified. Thick or odd materials (shaving foam, slime, toothpaste) do not fit neatly; the unit treats them as talking points, not as a test of right answers.
- "Can be undone" and "cannot be undone" are the words used here instead of "reversible" and "irreversible". Melting chocolate can change its texture (it may set dull or streaky), so "undone" means back to a solid, not perfect.
- Melting times depend on the room, the sun and the ice size. Compare results within one class on one day only.
- No images yet. No educator review.

Lesson 1: Solid or liquid?

Back to the unit

Goal

Children sort everyday materials into solids and liquids and give a reason: a solid keeps its own shape; a liquid pours, takes the shape of its container and has a flat top.

Materials

- Per group, on a tray: a wooden block, a pebble, a plastic toy, a pencil, a lidded bottle of water, a lidded bottle of cooking oil, a lidded bottle of milk or juice (not for drinking).
- Per group: three clear containers of different shapes (a tall cup, a wide tub, a small bowl), paper towels.
- Two sorting hoops or two large sheets labelled with a picture of a block ("solid") and a picture of a drop ("liquid").
- Class chart with two columns: "Keeps its shape" and "Pours and goes flat".

Steps

✎ Opening (5 minutes)

Hold up a wooden block and a cup of water. Ask: "If I tip these over, what happens to each one?" Tip the block onto the tray (it stays a block). Pour a little water onto a tray (it spreads out). Ask children to describe what they saw.

✎ Main activity (20 minutes)

1. Groups take each solid object and try to put it into each of the three containers. Does the object change shape to fit? (No - it stays the same.)
2. The teacher, or a careful child with the teacher holding the cup, pours the same bottle of water into the tall cup, then into the wide tub, then into the bowl. Children watch the water change shape every time.
3. Children look at the water from the side, with eyes level with the cup: the top is flat, even when the cup is tipped a little.
4. Groups place each material in the "solid" or "liquid" hoop. Each child says one reason using the sentence starter "It is a solid/liquid because it...".
5. The class fills in the chart together.

✓ Discussion questions (with example answers)

- **What did the water do when we poured it into a different cup?** It changed shape to fit the cup. It went flat on top.
- **Did the block change shape in the tall cup?** No. It stayed a block. It just sat there.

- **Is the milk a solid or a liquid? How do you know?** A liquid, because it pours and takes the shape of the bottle.
- **Can you think of a solid in our classroom? A liquid at home?** Solid: chair, book, door. Liquid: water, juice, bath water, shampoo.

✓ Closing check (5 minutes, with answers)

Show pictures or real items; children show thumbs up for solid, thumbs to the side for liquid:

1. A spoon - solid.
2. Orange juice - liquid.
3. A brick - solid.
4. Rain - liquid.
5. An ice cube - solid (it keeps its shape, for now - "we will find out more about ice soon").

Vocabulary

solid, liquid, shape, pour, flow, container

Differentiation

- **Extra support:** use only the hoops and pictures; sentence starter printed on a card; work with an adult in a small group.
- **Extra challenge:** "Is a pile of paper clips a solid or a liquid? It takes the shape of the box!" (Each clip is a solid; the pile only looks like it pours.) This leads into Lesson 2.

⚠ Safety

- Keep liquids in lidded bottles; open only for pouring, over a tray.
- No tasting or drinking any material, even milk or juice.
- Mop spills at once; wet floors are slippery.
- Cooking oil makes floors very slippery; pour it only over a tray, or keep that bottle closed and just tip it to watch.
- Small objects (coins, pebbles) can be choking hazards; count them back in.

Teacher notes and common misconceptions

- Children often say a liquid is "wet" and a solid is "hard". Accept these as starting points, but steer towards shape: soft solids (a sponge, cloth) are still solids, and some liquids (oil) do not feel "wet" in the same way.
- Some children think a liquid has no shape. It does - it borrows the shape of whatever it is in, apart from the flat top.

Lesson 2: Tricky materials

Back to the unit

Goal

Children explore materials that do not fit the solid/liquid sort easily. They learn that sand, rice and salt can be poured but are made of tiny solid grains, and that honey is a liquid even though it flows slowly.

Materials

- Per group, on a tray: a cup of dry sand, a cup of uncooked rice, a small cup of salt, a lidded jar of honey or golden syrup, a ball of playdough, two spoons, a magnifying glass, a dark sheet of card.
- Optional (teacher demonstration only): a can of plain shaving foam.
- The class chart from Lesson 1, plus a third column: "Not sure - let's talk".

Steps

✎ Opening (5 minutes)

Pour rice slowly from one cup into another. Ask: "Is rice a liquid? It pours!" Take a show of hands. Do not give the answer yet.

✎ Main activity (25 minutes)

1. **Grains.** Groups sprinkle a few grains of rice, sand and salt onto the dark card and look with the magnifying glass. Ask: does each grain keep its own shape? (Yes.) Can you press one grain and change its shape? (No.)
2. **Piles.** Groups pour sand onto the tray. Does it go flat like water? (No - it makes a heap with sloping sides.) Pour water beside it for comparison, over the tray.
3. **Slow flow.** Groups tip the closed honey jar and watch it move. Then the teacher spoons a little honey onto a plate: it slowly spreads out and goes flat. Honey is a "thick" liquid; it is slow, but it still flows and takes the shape of the plate.
4. **Squash it.** Children squash and roll playdough. It changes shape when pushed, but when you stop pushing it stays in its new shape - it does not flow by itself. It is a soft solid.
5. **Optional demonstration.** The teacher squirts a little shaving foam on a tray. Is it a solid or a liquid? Let children argue; put it in the "Not sure" column. (It is a foam, mostly gas bubbles trapped in a liquid; it is fine for it to stay "not sure".)
6. Update the class chart.

✓ Discussion questions (with example answers)

- **Rice pours. Why isn't it a liquid?** Because each grain is a tiny solid that keeps its shape. The pile makes a heap; it doesn't go flat.
- **Honey is slow. Why is it a liquid?** Because it flows by itself and goes flat on the plate, just slowly.
- **Playdough changes shape. Why is it a solid?** Because it only changes when we push it, and then it stays. It doesn't pour.
- **What would happen to sand in a cup if you looked very closely?** You'd see lots of tiny solid bits with air between them.

✓ Closing check (5 minutes, with answers)

Children answer on whiteboards with S (solid) or L (liquid):

1. Sugar - S (tiny solid grains).
2. Ketchup - L (a thick liquid; it flows slowly).
3. Flour - S (very tiny solid grains).
4. Shampoo - L.
5. A ball of clay - S.

Vocabulary

grain, heap, thick, runny, flow, soft solid

Differentiation

- **Extra support:** focus on two materials only (rice and honey) and the question "does each bit keep its shape?".
- **Extra challenge:** "Why does a big heap of sand slope at the sides but water goes flat?" Accept ideas such as "the grains lean on each other".

⚠ Safety

- No tasting. Uncooked rice and dried foods are not snacks.
- Keep sand away from faces and eyes; pour low, over trays. If sand gets in an eye, do not rub; rinse with clean water and tell an adult.
- Salt stings cuts and eyes; wash hands after the lesson.
- Check allergies before using honey, flour or playdough (playdough often contains wheat).
- Shaving foam: teacher only, plain unscented if possible; keep it away from eyes and mouths; check skin allergies before letting anyone touch it.
- Sweep up spilled sand and rice at once - they are slippery underfoot.

Teacher notes and common misconceptions

- "If it pours, it's a liquid" is the main misconception to tackle. The grain test (does each piece keep its shape?) and the heap test (does it go flat?) are the two simple checks.
- "Thick" and "runny" are fine everyday words for what scientists call viscosity. There is no need to introduce that word.
- Some materials genuinely do not fit (foams, gels, slime). Saying "scientists have extra names for these" is honest and enough at this age.

Lesson 3: Where does ice melt fastest?

Back to the unit

Goal

Children carry out a simple fair test: two identical ice cubes on identical plates, one in a warm spot and one in a cool spot. They predict, observe at regular times and say what they found. They learn that warmth makes ice melt into water.

Materials

- Ice cubes made the day before in the same tray, so they are the same size (2 per group, plus spares).
- Per group: two identical small plates or saucers, two labels ("warm" and "cool"), a recording sheet (see below), a pencil.
- A warm spot: a sunny windowsill, or a table about one metre from a heater (never on or touching the heater).
- A cool spot: a shady corner, a table by an outside wall, or a corridor.
- A timer or the classroom clock; a thermometer is optional, for the teacher to show which place is warmer.

Recording sheet: a table with rows "Start", "10 minutes", "20 minutes", "30 minutes", "40 minutes" and columns "Warm spot" and "Cool spot". In each box children draw the cube and puddle, or tick one of three pictures: "all ice", "some ice and water", "all water".

Steps

✎ Opening (5 minutes)

Show an ice cube on a plate. Ask: "Is this a solid or a liquid?" (Solid.) "What will it be like at home time?" (Water, a liquid.) Ask: "Could we make it change faster or slower?" Collect ideas.

✎ Main activity (30-40 minutes, with other work between checks)

1. Explain the fair test: "We will change only ONE thing - where the plate goes. Everything else stays the same: the same size ice cube, the same kind of plate, the same start time."
2. Each child predicts which cube will melt first by putting a sticker or name on "warm" or "cool" on a class prediction chart.
3. At the same moment, an adult puts one cube on each plate. Groups carry the "warm" plate to the warm spot and the "cool" plate to the cool spot.
4. Children draw the "Start" row.
5. Every 10 minutes, groups look (without touching the ice) and record. The class can do quiet work between checks.
6. Stop when the first cube is all water, or after 40 minutes, whichever comes first.

✓ Discussion questions (with example answers)

- **Which cube melted faster? Was your prediction right?** Usually the warm spot. "I thought warm, and I was right." It is fine to be wrong; say so.
- **Why did we use the same size ice cubes and the same plates?** So it was fair; only the place was different, so the place made the difference.
- **Where did the ice go?** It didn't disappear - it turned into water, the puddle on the plate.
- **What could you do to make ice melt even more slowly?** Put it in a colder place, or wrap it up (this leads to Lesson 5).

✓ Closing check (5 minutes, with answers)

1. What does warmth do to ice? It makes it melt into water.
2. Is the puddle a solid or a liquid? A liquid.
3. In our test, what was the one thing we changed? Where we put the plate.
4. Name one thing we kept the same. The size of the ice cube / the type of plate / the start time.

Vocabulary

melt, warm, cool, fair test, predict, observe

Differentiation

- **Extra support:** use only the three-picture tick boxes; an adult reads the time.
- **Extra challenge:** add a third plate (e.g. a metal tray in the cool spot) and ask whether the plate makes a difference. Discuss that this is a second test, because now two things could change.

⚠ Safety

- Ice straight from a freezer can stick to skin and cause a cold burn. Let cubes sit on the plate for a minute before anyone touches them, and touch only briefly.
- Ice is not for eating in class (choking risk; classroom trays and hands are not clean).
- Never put plates on or against heaters, radiators or lamps.
- Carry plates slowly and level; wipe up meltwater at once (slip risk).
- Windowsills: no climbing; an adult places and moves the plates if the sill is high.

Teacher notes and common misconceptions

- Some children think the ice "disappears" or "goes into the plate". Point to the water: the same stuff, now a liquid. You can weigh a cube in a cup before and the water after on kitchen scales if you have them: the amount is about the same.
- "Cold makes ice" is true, but "cold goes into things" is a common idea. Keep the talk about warmth: warmth from the room or the Sun goes into the ice and melts it. Coverings keep warmth out (Lesson 5).

- On a cold, cloudy day, the difference may be small. That is still a result; talk about why.

Lesson 4: Can we undo it?

Back to the unit

Goal

Children see that melting and freezing can be undone: water freezes to ice and ice melts to water; chocolate melts in warm water and sets solid again when cooled. They compare this with changes that cannot be undone, such as cooking an egg or toasting bread.

Materials

- The day before: children help pour water into an ice cube tray; the teacher puts it in the freezer. Also keep one cup of water from the same jug in the classroom, for comparison.
- Per group: a small zip-lock bag with 4-5 chocolate buttons, sealed and with the air pressed out; a bowl of warm tap water (adult-filled; it should feel comfortably warm on the back of a hand, like a bath, not hot); a paper plate; a cool place or fridge for later.
- **If any child has a milk, soy or nut allergy, or chocolate is not allowed:** use a small piece of plain ice lolly made from fruit juice instead, or keep the chocolate as a teacher-only demonstration in a sealed bag. Check your school's food policy first.
- For "cannot be undone": a raw egg (in its shell) and a hard-boiled egg cooked at home by an adult and cooled; a slice of bread and a slice of toast made before the lesson. Pictures are fine instead.
- Class chart with two columns: "Can be undone" and "Cannot be undone".

Steps

✎ Opening (5 minutes)

Take out the frozen tray. Compare the ice with the cup of water saved from yesterday. Ask: "What changed? How did it change?" (It got very cold in the freezer and turned solid.) Ask: "Can we turn it back into water?"

✎ Main activity (25 minutes)

1. **Ice back to water.** Put two of the new ice cubes on a plate in the warm spot from Lesson 3. They will melt during the lesson. Water became ice, and ice becomes water again.
2. **Chocolate.** Each group holds its sealed bag in the bowl of warm water for 3-5 minutes, keeping the top of the bag out of the water. Children watch the solid buttons go soft and runny. Ask: "Is it a solid or a liquid now?"
3. Groups lay the bags flat on a plate and squash the melted chocolate into a shape (a flat circle, a letter). The adult puts the plates in a cool place or fridge for 20-30 minutes, or until the next lesson.
4. **Cannot be undone.** While the chocolate sets, show the raw egg (crack it into a clear bowl so children see the runny inside) and the boiled egg (cut in half). Ask: "Could we turn the cooked egg back into a runny egg?" (No.) Do the same with bread and toast.

5. Check the chocolate: it is solid again, in its new shape. Fill in the class chart.

✓ Discussion questions (with example answers)

- **What made the chocolate melt?** The warm water warmed it up.
- **How did we make it solid again?** We let it cool down in a cool place or the fridge.
- **Can you un-cook an egg? Why not?** No. Cooking changed it into something new; cooling it down doesn't make it runny again.
- **Is melting ice something we can undo?** Yes - put the water in the freezer and it turns back into ice.

✓ Closing check (5 minutes, with answers)

Thumbs up for "can be undone", thumbs down for "cannot be undone":

1. Water freezing into ice - can be undone.
2. Baking a cake - cannot be undone.
3. Butter melting in a warm room - can be undone (it goes solid in the fridge).
4. Burning a piece of paper - cannot be undone (adult-only; do not demonstrate).
5. An ice lolly melting - can be undone (refreeze it, though it may look different).

Vocabulary

freeze, melt, set, cool down, warm up, can be undone, cannot be undone

Differentiation

- **Extra support:** use only ice and chocolate; ask "solid or liquid now?" at each step.
- **Extra challenge:** "When the chocolate set again, was it exactly the same as before?" (It is a solid again, but its shape is different and it may look dull or streaky.) Is it still "undone"?

⚠ Safety

- Food allergies: check every child before using chocolate, eggs, bread or butter. Follow your school's food policy.
- No eating in this lesson. Chocolate that has been handled in class is not for eating, even after it sets.
- Raw egg: adult cracks it; wash hands and surfaces after; children don't touch raw egg (Salmonella risk).
- Warm water only, filled by an adult from the warm tap. No kettles, hot plates or candles in the classroom. If the water feels hot, add cold.
- Freezer-cold ice: let it sit a minute before touching (cold burns).
- Zip bags: check seals before dipping; wipe drips at once (slip risk).
- Toast: make it before the lesson; no toaster within children's reach.

Teacher notes and common misconceptions

- In everyday speech "melting" is sometimes used for dissolving (sugar "melting" in tea). Keep "melting" for a solid turning into a liquid because it was warmed. Dissolving comes later (grade 5 in the science progression).
- Children may think the fridge "makes" the chocolate solid. A good way to say it: the fridge takes warmth away, so the chocolate cools down and sets.
- Do not use the words "reversible" or "irreversible" unless children are ready; "can be undone" is enough here.

Lesson 5: Ice cube rescue

Back to the unit

Goal

Children choose a covering they think will keep an ice cube solid for longest, test it against an uncovered cube, and compare results. They learn that some coverings slow melting by keeping warmth out. The lesson ends with the end-of-unit check.

Materials

- Ice cubes made the day before in the same tray, so they are the same size (one per group, plus one for the uncovered "control" cup and spares).
- Identical small plastic cups, one per group plus one.
- Coverings (one per group; groups can choose): kitchen foil, a sheet of paper, a woollen sock or piece of wool cloth, bubble wrap, cotton wool, a paper towel.
- Elastic bands or tape to hold coverings in place.
- A warm spot (as in Lesson 3), a timer, a class results chart.
- A copy of the end-of-unit check per child (or read aloud).

Steps

✎ Opening (5 minutes)

Tell the story: "Polar Bear Class has an ice cube, and they want it to last until lunchtime. Can we help them?" Ask what children might wrap it in. Show the coverings.

✎ Main activity (30-40 minutes, including the check while waiting)

1. Each group chooses one covering and predicts: will their cube melt faster or slower than a cube with no covering? Record the prediction on the class chart.
2. An adult puts one ice cube in each cup. Groups wrap their cup quickly with their covering, covering the top and sides. One cup stays uncovered (the control) so everyone can compare.
3. All cups go side by side in the same warm spot at the same time. Ask: "Why do they all go in the same place?" (To keep it fair - only the covering is different.)
4. While waiting, children do the end-of-unit check (below).
5. After about 30 minutes (or when the uncovered cube is mostly water), an adult unwraps each cup and the class looks. Rank the cups from "most ice left" to "least ice left" on the chart.

✓ Discussion questions (with example answers)

- **Which covering kept the most ice?** Often wool, cotton wool or bubble wrap. Results vary; say what your class found.

- **Did any covering make it melt faster than no covering?** Sometimes thin or dark coverings in strong sun do. That is a real result too.
- **Why do you think the woolly sock helped?** It keeps the warmth from the room out, so the ice warms up more slowly.
- **But we wear woolly socks to keep warm! How can wool keep ice cold?** Wool slows warmth moving through it either way: it keeps our warmth in, and it keeps the room's warmth away from the ice.

✓ End-of-unit check (8 questions, 16 marks, with answers)

Read each question aloud. Children answer by circling a picture, writing a word or drawing. Two marks each; one mark for a partly right answer. There is no pass mark: use the results to plan what to revisit.

1. Circle the two liquids: a stone, milk, a pencil, juice. **Answer:** milk, juice (1 mark each).
2. Water is poured from a tall glass into a wide bowl. What happens to its shape? **Answer:** it changes to the shape of the bowl (1) and stays flat on top (1).
3. Sand can be poured. Is sand a solid or a liquid? Why? **Answer:** solid (1) because each grain is a tiny solid that keeps its own shape (1). "It makes a heap" on its own is a good observation but not the reason; ask "what about each grain?" before giving the second mark.
4. Honey pours very slowly. Is it a solid or a liquid? **Answer:** liquid (1) because it flows and goes flat, just slowly (1).
5. Sam puts one ice cube on a sunny windowsill and one in a shady corner. Which melts first? **Answer:** the one on the sunny windowsill (2).
6. In question 5, what must Sam keep the same to make it fair? Name two things. **Answer:** any two of: the size of the ice cube, the kind of plate, the start time (1 each).
7. Can we undo melting ice? How? **Answer:** yes (1); put the water in the freezer / make it very cold (1).
8. Draw or name one change that cannot be undone. **Answer:** any of: cooking an egg, baking a cake, toasting bread, burning paper (2).

Vocabulary

covering, wrap, control, fair test, keep warmth out, melt, solid, liquid

Differentiation

- **Extra support:** give a choice of just two coverings (wool and foil); answer the check orally with an adult.
- **Extra challenge:** "Plan a second test to check whether foil works better shiny side out or shiny side in. What would you keep the same?"

⚠ Safety

- Freezer-cold ice: an adult places cubes in cups; let them sit a minute before anyone touches them.
- Ice is not for eating (choking; not clean).
- Never put cups on or against heaters or lamps.

- Wipe up meltwater at once (slip risk).
- Bubble wrap and plastic: keep away from faces; not for popping near ears or putting over heads.
- Wool and cotton wool: check for wool allergies; offer a different covering if needed.

Teacher notes and common misconceptions

- Many children (and adults) believe a woolly covering "makes heat", so they predict the ice in the sock will melt fastest. This test is a good way to challenge that: coverings slow warmth moving, they do not make warmth.
- Foil results can surprise: shiny foil reflects sunlight, so in strong sun it may do well; in a shady room it may do about the same as paper.
- If time allows, repeat the test another day. Getting the same pattern twice makes a result more trustworthy.